





Ex.1. If the mass of cylinder C is 40 kg, determine the mass of cylinder A in order to hold the assembly in the position shown.





Ex.2. The 200-kg crate is suspended using the ropes AB , AC and AD . Each rope can withstand a maximum force of 10kN before it breaks. If AB remains horizontal, determine the smallest angle θ to which the crate can be suspended before one of the ropes breaks.

Ex.3. If the 5-kg block is suspended from the pulley B and the sag of the cord is $d = 0.15$ m, determine the force in cord ABC . Neglect the size of the pulley.





Ex.4. If cable CB is subjected to a tension that is twice that of cable CA, determine the angle for equilibrium of the 10-kg cylinder. Also, what are the tensions in wires CA and CB?

Ex.5. The unstretched length of spring AB is 3 m. If the block is held in the equilibrium position shown, determine the mass of the block at D and the unstretched length of spring AC.



Ex.6. The block has a mass of 5 kg and rests on the smooth plane. Determine the unstretched length of the spring.



Ex.7. Determine the tension in cables AB , BC , and CD , necessary to support the 10-kg and 15-kg traffic lights at B and C , respectively. Also, find the angle θ .



- Ex.8. (1) Determine the tension developed in each cord required for equilibrium of the 20-kg lamp.
- (2) Determine the maximum mass of the lamp that the cord system can support so that no single cord develops a tension exceeding 600 N.

Ex.9. (1) The springs BA and BC each have a stiffness of 500 N/m and an unstretched length of 3 m . Determine the horizontal force F applied to the cord which is attached to the small ring B so that the displacement of the ring from the wall is $d = 1.5 \text{ m}$.

(2) The springs BA and BC each have a stiffness of 500 N/m and an unstretched length of 3 m . Determine the displacement d of the cord from the wall when a force $F = 175 \text{ N}$ is applied to the cord.



Ex. 10. Cable ABC has a length of 5 m . Determine the position x and the tension developed in ABC required for equilibrium of the 100-kg sack. Neglect the size of the pulley at B .